



West Coast Jump, LLC Round Trampoline Assembly Instructions



Parts List

- 4 - Round Frame Top Quarter Sections
 - 4 - Trampoline Leg
 - 1 - Box Springs (14'-104 Springs, 12'-88 Springs)
 - 1 - Trampoline Mat
 - 1 - Safety Pad
- Trampoline ladder and Enclosure System sold separately

Thank you for purchasing your trampoline from us- we hope you enjoy it for years to come!

Assembly

1) Lay trampoline frame parts out as shown in photo.



2) Connect the top circle together by pulling out the ends and insert them into each other. It is normal for them not to go together all the way. The springs will bring them more fully together.



3) Start installing the trampoline mat by finding the West Coast Jump label and hooking 1 end of a spring into the v-ring and the other end into a hole in the circle frame.



4) Continue installing the mat by counting halfway around the circle frame and putting 1 more spring. (For it to be exactly halfway, the 14' will be the 52nd hole/v-ring, for the 12' this will be the 44th hole/v-ring) Add 1 spring approx. every 10th hole.



5) Insert legs into the top frame. It is normal for them to not go in completely. Once all of the legs are in, you will need to apply pressure above the legs to help them sink completely in.





6) Once all 4 legs are in place, split the distance and put one spring in the center of each spacing until you have all the springs installed. It will take about 3-4 times around the trampoline to complete this part.



7) Install safety pad. Place pad on trampoline on top of the springs with the side skirting facing up and buckle into place. Finally, to finish, fold the skirt down around the frame.

8) If you purchased an enclosure system, install it at this time. Follow the instructions supplied with the enclosure system.

Please reach out to us at 602-793-3806, should you need any assistance!